Aug 1 9 2005 No. 9362-4

RESPONSE UNDER 37 C.F.R. 1.116 - EXPEDITED PROCEDURE - EXAMINING GROUP 1615

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application: Williams *et al*. Application Serial No.: 10/662,621

Confirmation No. 9764 Group Art Unit: 1615 Examiner: Neil S. Levy

Filed: September 15, 2003

CARBON DIOXIDE-ASSISTED METHODS OF PROVIDING BIOCOMPATIBLE

INTRALUMINAL PROSTHESES

Date: August 19, 2005

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

NOTICE OF APPEAL TO THE BOARD OF PATENT APPEALS AND INTERFERENCES

Sir:

For:

Pursuant to 35 USC §134, 37 CFR 1.191, and MPEP §1205, the Applicants in the above-identified patent application hereby appeal to the Board of Patent Appeals and Interferences from the Final Office Action dated May 4, 2005, the Advisory Action dated May 31, 2005 and the Advisory Action dated July 15, 2005, at least twice rejecting or finally rejecting Claims 1-26.

Enclosed is a check in the amount of \$500.00 for the Appeal fee as provided by 37 C.F.R. § 1.17(b).

Also enclosed: <u>Pre-Appeal Brief Request for Review; Reasons for Pre-Appeal</u>
Brief Request for Review.

The Commissioner is authorized to charge any additional fees that may be required, or credit any overpayments, to Deposit Account No. 50-0220.

Respectfully submitted,

08/22/2005 GWORDOF1 00000082 10662621

01 FC:1401

500.00 OP

Needham James Boddie, II Registration No. 40,519

USPTO Customer No. 20792

Myers Bigel Sibley & Sajovec Post Office Box 37428 Raleigh, North Carolina 27627

Telephone: 919/854-1400 Facsimile: 919/854-1401

Doc. No. 454621

CERTIFICATE OF EXPRESS MAILING

Express Mail Label No.: EV 675789889 US

Date of Deposit: August 19, 2005

I hereby certify that this correspondence is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated above and is addressed to: Mail Stop AF, Commissionar for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Erin A. Campion